



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2016 - December 31, 2016

Filing Confirmation Number: 0007622980

Filing Deadline: March 23, 2017

FRN: 0005040522

Filing Date: 01/16/2017 05:56 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: TruConnect Communications, Inc fka Telscape Communications, Inc.

Brand Names: TruConnect

PO Box:

Street Address: 1149 S. Hill Street, Suite H400

City: Los Angeles

State: CA

Zip Code: 90015

Contact Name: Cassandra Milligan

Contact Phone: (214) 766-8782

Contact Fax: (214) 495-4795

Contact Email: RegulatoryAffairs@truconnect.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: New, un-used handsets are delivered to customers in OEM packaging. HAC labeling as required by the rules, as well as the original manufacturer's user guide, which includes information regarding the handset's HAC rating and tips to avoid RF interference. Refurbished and used phones are not kitted in original manufacturer

packaging and therefore do not include HAC labeling. HAC information for refurbished, used, and/or reconditioned phones is provided on the Company's website.

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

No

Explain: New, un-used handsets are delivered to customers in OEM packaging, HAC labeling as required by the rules, as well as the original manufacturer's user guide, which includes information regarding the handset's HAC rating and tips to avoid RF interference. Refurbished and used phones are not kitted in original manufacturer packaging and therefore do not include HAC labeling. HAC information for refurbished, used, and/or reconditioned phones is provided on the Company's website.

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.truconnect.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: The Company engages in customer outreach and advertises the availability of its services throughout its service area using media of general distribution in a manner reasonably designed to reach those likely to subscribe to its service. In addition, the Company takes a hands on approach to customer outreach in that it engages local representatives in the community that hold neighborhood and community events educating consumers about its products and services. These local events afford consumers with an opportunity to ask questions and/or sign up for service. Our neighborhood outreach efforts are supplemented with a network of brick and mortar stores to which customers can return should they have questions or need assistance.

Methodology for Functionality Levels

Advanced: Complex Smartphone type operating systems e.g., Android, Apple, and RIM/Blackberry.

Middle: Voice capable messaging phones such as QWERTY keyboards, enhanced browsers such as those that support HTML and High Performance Push-To-Talk with high data speeds.

Basic: Feature phones that support text messaging where alphanumeric text entry may require triple tapping. Simple web-browsing capability and other data services are typically supported.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 71

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	9	38%	1	4%	14	58%	24
CDMA	47	82%	6	11%	4	7%	57
WCDMA	1	14%			6	86%	7
Wi-Fi	2	29%			5	71%	7

Handset 1: Alcatel Venture

Handset Maker

Alcatel

Handset Model Name

Venture

FCC ID

RAD209, RAD210

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 2: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

Dates

This handset model was offered from: 10/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 3: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz CDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 4: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 5: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
1700 MHz GSM
1700 MHz CDMA
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 6: Apple iPhone4

Handset Maker

Apple

Handset Model Name

iPhone4

FCC ID

BCG-E2422A, BCG-E2380A, BCG-E2380B

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

Dates

This handset model was offered from: 12/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 7: BLU Dash JR

Handset Maker

BLU

Handset Model Name

Dash JR

FCC ID

YHLBLUDASHJR

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 8: BLU Jenny II

Handset Maker

BLU

Handset Model Name

Jenny II

FCC ID

YHLBLUJENNY2

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 9: BLU Zoey

Handset Maker

BLU

Handset Model Name

Zoey

FCC ID

YHLBLUZOEY

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks**Handset 10: HTC Desire 510****Handset Maker**

HTC

Handset Model Name**FCC ID**

Desire 510

NM80PCV220, NM80PCV100

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 09/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 11: HTC Hero

Handset Maker

HTC

Handset Model Name

Hero

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 12: HTC MOGUL 6800

Handset Maker

HTC

Handset Model Name

MOGUL 6800

FCC ID

NM8TITA100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks**Handset 13: HTC Wildfire****Handset Maker**

HTC

Handset Model Name**FCC ID**

Wildfire

NM8PC49100

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 14: Huawei M865

Handset Maker

Huawei

Handset Model Name

M865

FCC ID

QISM865

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 08/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 15: Huawei Y538 UNION

Handset Maker

Huawei

Handset Model Name

Y538 UNION

FCC ID

QISY538

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 09/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 16: Kyocera DOMINO

Handset Maker

Kyocera

Handset Model Name

DOMINO

FCC ID

OVF-K33BIC06

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 17: Kyocera Hydro

Handset Maker

Kyocera

Handset Model Name

Hydro

FCC ID

V65C5170

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 18: Kyocera Kona

Handset Maker

Kyocera

Handset Model Name

Kona

FCC ID

V65S2151, V65S2150, V65S2150A1

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 19: Kyocera M9300

Handset Maker

Kyocera

Handset Model Name

M9300

FCC ID

V65M9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 20: Kyocera Rise

Handset Maker

Kyocera

Handset Model Name

Rise

FCC ID

V65C5155

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 21: Kyocera S2100

Handset Maker

Kyocera

Handset Model Name

S2100

FCC ID

OVF-K5502

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 22: LG 855

Handset Maker

LG

Handset Model Name

855

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 23: LG LG 101

Handset Maker

LG

Handset Model Name

LG 101

FCC ID

BEJVM101

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 24: LG LS670 (Optimus S)

Handset Maker

LG

Handset Model Name

LS670 (Optimus S)

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 25: LG OPTIMUS ELITE**Handset Maker**

LG

Handset Model Name**FCC ID**

OPTIMUS ELITE

ZNFLS696, ZNFMS695, ZNFAS695, ZNFL46C

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 26: LG Rumor

Handset Maker

LG

Handset Model Name

Rumor

FCC ID

BEJLX260, BEJLN510

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 27: LG RUMOR2 265

Handset Maker

LG

Handset Model Name

RUMOR2 265

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks**Handset 28: LG SPLENDOR S730****Handset Maker**

LG

Handset Model Name**FCC ID**

SPLENDOR S730

ZNFUS730, ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 29: Motorola K1m

Handset Maker

Motorola

Handset Model Name

K1m

FCC ID

IHDT56GH1

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

BASIC

Remarks

Handset 30: Motorola Q9m

Handset Maker

Motorola

Handset Model Name

Q9m

FCC ID

IHDT56HS1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 31: Motorola RAZR V3M

Handset Maker

Motorola

Handset Model Name

RAZR V3M

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 32: Motorola TRIUMPH WX435

Handset Maker

Motorola

Handset Model Name

TRIUMPH WX435

FCC ID

IHDT56MS1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 33: Motorola VE20

Handset Maker

Motorola

Handset Model Name

VE20

FCC ID

IHDT56JM1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks**Handset 34: Motorola W385****Handset Maker**

Motorola

Handset Model Name**FCC ID**

W385

IHDT56HC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 35: Moxee X1

Handset Maker

Moxee

Handset Model Name

X1

FCC ID

2ADHZ-MOXEEX1

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 36: Moxee X10

Handset Maker

Moxee

Handset Model Name

X10

FCC ID

2ADHZ-MOXEEX10

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 37: Moxee X100

Handset Maker

Moxee

Handset Model Name

X100

FCC ID

2ADHZ-X100

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 38: Moxee X1000

Handset Maker

Moxee

Handset Model Name

X1000

FCC ID

2ADHZ-X1000

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 39: PCD CHASER 2090

Handset Maker

PCD

Handset Model Name

CHASER 2090

FCC ID

U46-WI921

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 40: Samsung EXCLAIM M550

Handset Maker

Samsung

Handset Model Name

EXCLAIM M550

FCC ID

A3LSPHM550

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 41: Samsung Galaxy S 3

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy S 3

A3LSGHI747, A3LSPHL710, A3LSCHR530, A3LSCHR530M

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 11/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 42: Samsung Instinct M800

Handset Maker

Samsung

Handset Model Name

Instinct M800

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 43: Samsung INTERCEPT M9

Handset Maker

Samsung

Handset Model Name

INTERCEPT M9

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 44: Samsung M200

Handset Maker

Samsung

Handset Model Name

M200

FCC ID

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 45: Samsung M330

Handset Maker

Samsung

Handset Model Name

M330

FCC ID

A3LSPHM330

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 46: Samsung M370**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M370

A3LSPHM370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 47: Samsung M520

Handset Maker

Samsung

Handset Model Name

M520

FCC ID

A3LSPHM520

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 48: Samsung M820

Handset Maker

Samsung

Handset Model Name

M820

FCC ID

A3LSPHM820

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks**Handset 49: Samsung M840****Handset Maker**

Samsung

Handset Model Name**FCC ID**

M840

A3LSPHM840

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 50: Samsung Moment M900

Handset Maker

Samsung

Handset Model Name

Moment M900

FCC ID

A3LSPHM900

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 51: Samsung Prevail

Handset Maker

Samsung

Handset Model Name

Prevail

FCC ID

A3LSPHM820

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 52: Samsung R740**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R740

A3LSCHR740C, A3LSCHS738C

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 53: Samsung Rant M540

Handset Maker

Samsung

Handset Model Name

Rant M540

FCC ID

A3LSPHM540

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 54: Samsung RECLAIM M560

Handset Maker

Samsung

Handset Model Name

RECLAIM M560

FCC ID

A3LSPHM560

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 55: Samsung Replenish M580**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Replenish M580

A3LSPHM580

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 56: Samsung SEEK M350

Handset Maker

Samsung

Handset Model Name

SEEK M350

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 57: Samsung SGH-P100

Handset Maker

Samsung

Handset Model Name

SGH-P100

FCC ID

A3LSGHP100

Air Interfaces/Frequency Bands

900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks**Handset 58: Samsung SPH-A600****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-A600

A3LSPHA600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 59: Samsung Transform Ultra M930

Handset Maker

Samsung

Handset Model Name

FCC ID

Transform Ultra M930

A3LSPHM930

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 60: Samsung Trender M380

Handset Maker

Samsung

Handset Model Name

FCC ID

Trender M380

A3LSPHM380

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks**Handset 61: Samsung V100****Handset Maker**

Samsung

Handset Model Name**FCC ID**

V100

A3LSGHV100

Air Interfaces/Frequency Bands

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 62: Sanyo SANYO 2400

Handset Maker

Sanyo

Handset Model Name

SANYO 2400

FCC ID

AEZSCP-24H

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 63: Sanyo SANYO 3100

Handset Maker

Sanyo

Handset Model Name

SANYO 3100

FCC ID

AEZSCP-31H

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks**Handset 64: Sanyo SCP-3810****Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-3810

V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 65: Sanyo SCP-3820

Handset Maker

Sanyo

Handset Model Name

SCP-3820

FCC ID

V65SCP-3820

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 66: Sanyo SCP6760

Handset Maker

Sanyo

Handset Model Name

SCP6760

FCC ID

V65SCP-6760

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks**Handset 67: Social X401****Handset Maker**

Social

Handset Model Name**FCC ID**

X401

2ACLMX401F

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 10/15 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 68: Social X444 BX

Handset Maker

Social

Handset Model Name

X444 BX

FCC ID

2AIMEX444

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 10/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Handset 69: UMX MXW2

Handset Maker

UMX

Handset Model Name

MXW2

FCC ID

P46-MXW2

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/15 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

ADVANCED

Remarks

Handset 70: Verykool VERYKOOL I129

Handset Maker

Verykool

Handset Model Name

VERYKOOL I129

FCC ID

WA6I129

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 71: ZTE N817

Handset Maker

ZTE

Handset Model Name

N817

FCC ID

SRQ-ZTEN817

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
900 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 09/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

ADVANCED

Remarks

Certification

This Report has been certified by:

Cassandra Milligan Regulatory Affairs
01/16/2017 05:56 PM